



Application of IEC 62

Report reference No

Compiled by (+ sign)

Approved by (+ sign)

Date of issue

Testing laboratory ..

Address

Testing location

Applicant

Address

Standard

Test sample(s) received

Test in period.....

Procedure deviation

Non-standard test method

Note: The test data shown above and for prior written consent

Type of test object ..

Trademark

Model/type reference

Manufacturer.....

Rating

Copy of marking plate

None

Test item particulars

Product evaluated	<input checked="" type="checkbox"/> LED package
	<input type="checkbox"/> LED module
	<input type="checkbox"/> Lamp
	<input type="checkbox"/> Luminaire
Rated voltage (V)	See rating
Rated current (mA)	See rating
Rated CCT (K)	See test result
Rated Luminance (Mcd/m²)	Not specified
Component report data used	<input checked="" type="checkbox"/> Not applicable
	<input type="checkbox"/> LED package
	<input type="checkbox"/> LED module
	<input type="checkbox"/> Lamp
	Report number:

Possible test case verdicts:

-test case does not apply to the test object.....:N(.A.)

-test object does meet the requirement.....:P(ass)

-test object does not meet the requirement.....:F(ail)

General remarks:


The test results presented in this report relate only to the object tested.
 This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory.
 "(See Enclosure #)" refers to additional information appended to the report.
 "(See appended table)" refers to a table appended to the report.
 Throughout this report a point is used as the decimal separator.
 List of test equipment must be kept on file and available for review.

Remark:

This report consists of 7 pages and following appendixes:
 Appendix A EUT photos
 Appendix B Test equipment list

General product information:

1. This product is a LED package and manufactured by "Hongli Zihui Group Co.,Ltd.", Test model is HL-A-2835DW-S1-08-HR3, rated input 2.8-3.4Vdc, 150mA.



IEC TR 62778			
Clause	Requirement + Test	Result - Remark	Verdict


	TABLE: Spectroradiometric measurement		P
	Measurement performed on:	<input checked="" type="checkbox"/> LED package <input type="checkbox"/> LED module <input type="checkbox"/> Lamp <input type="checkbox"/> Luminaire	—
	Model number.....:	HL-A-2835DW-S1-08-HR3	—
	Test voltage (V)	2.8-3.4Vdc	—
	Test current (mA).....:	150mA	—
	Test frequency (Hz).....:	-	—
	Ambient, t (°C).....:	25.5°C	—
	Measurement distance	<input checked="" type="checkbox"/> 20 cm <input type="checkbox"/> cm	—
	Source size	<input type="checkbox"/> Non-small: mm <input checked="" type="checkbox"/> Small : 0.87 mm	—
	Field of view	<input type="checkbox"/> 100 mrad <input checked="" type="checkbox"/> 11 mrad <input type="checkbox"/> 1,7 mrad (for small sources)	—

Item	Symb ol	Units	Result	Remark
Correlated colour temperature	CCT	K	7225	
x/y colour coordinates			0.3017/0.3214	
Blue light hazard radiance	L _B	W/(m ² •sr ¹)	5005	
Blue light hazard irradiance	E _B	W/m ²	0.4322	
Luminance	L	cd/m ²	5.561e+006	
Illuminance	E	lx	480	

Supplementary information:

Appendix A - EUT Photos

The Whole view of EUT



Appendix B Test equipment list

Equipment Description	Model No	BACL#	Manufacturer	Last Cal	Cal Due
UV-VIS-near IR Spectrophotocolori meter	PMS-2000	T-08-SF213	EVERFINE	2017-08-08	2018-08-07
Imaging luminance meter	CX-2K	T-08-SF140-1	EVERFINE	2017-08-08	2018-08-07
Radiation illuminance meter	RD-2000	T-08-SF140-2	EVERFINE	2017-08-08	2018-08-07
Radiation illuminance meter	RD-2000	T-08-SF140-3	EVERFINE	2017-08-08	2018-08-07
High Accuracy Array	HAAS-2000	T-08-SF140-4	EVERFINE	2017-08-08	2018-08-07
Hygrothermograph	PWS280	T-08-QA026	N/A	2017-03-21	2018-03-20
Standard power spectral UV radiation-specific	UVS-8003	T-08-EE048	EVERFINE	2017-03-21	2018-03-20
80mm sample integrating sphere	SMS-300	F-08-SF130	EVERFINE	2016-12-26	2018-12-25
Steel tape	HILOCK-19	T-08-SF100	TAJIMA	2013-04-18	2018-04-17
Digital CC&CV DC Power Supply	WY305	T-08-EE098	EVERFINE	2017-03-04	2018-03-04

*** End of report ***