

**TEST REPORT**

**IEC 62471:2006**

**Photobiological safety of lamps and lamp systems**

*Paul Zeng*  
P. Zeng

*FUNMA*







	$L_B t = \int_{300}^{700} L(\lambda, t) B(\lambda) d\lambda \quad \text{m}^{-2} \cdot \text{s}^{-1}$		
	$L_B = \int_{300}^{700} L_\lambda B(\lambda) d\lambda$		
	$E_B t = \int_{300}^{700} E_\lambda(\lambda, t) B(\lambda) d\lambda \quad \text{J} \cdot \text{m}^{-2}$		
	$E_B = \int_{300}^{700} E_\lambda B(\lambda) d\lambda$		
	$L_R = \sum_{\lambda=300}^{1400} L_\lambda \cdot R(\lambda) \cdot \Delta\lambda \leq \frac{50000}{0.25} \quad \frac{\text{W} \cdot \text{m}^{-2} \cdot \text{sr}^{-1}}{380} \quad L_R$		














FINAL





Table 5.4					-
Hazard Name	Relevant equation	Wavelength Range nm	Exposure aperture rad(deg)	Limiting aperture rad(deg)	EL in terms of constant irradiance $W.m^{-2}$

Table 5.5					-
Hazard Name	Relevant equation	Wavelength Range nm	Exposure duration Sec	Field of view radians	EL in terms of constant radiance $W.m^{-2}.sr^{-1}$


$\alpha$									

**Spectral distribution**






FINVA



The front view of EUT



The back view of EUT





-

Equipment Description	Model No	BACL#	Manufacturer	Last Cal	Cal Due

\*\*\* End of report \*\*\*